

Pivotal™ RabbitMQ®

Version 3.4

Supported Configurations and System Requirements

Rev: 01

© 2014 Pivotal Software, Inc.

Notice

Copyright

Copyright © 2014 Pivotal Software, Inc. All rights reserved.

Pivotal Software, Inc. believes the information in this publication is accurate as of its publication date. The information is subject to change without notice. THE INFORMATION IN THIS PUBLICATION IS PROVIDED "AS IS." PIVOTAL SOFTWARE, INC. ("Pivotal") MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND WITH RESPECT TO THE INFORMATION IN THIS PUBLICATION, AND SPECIFICALLY DISCLAIMS IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Use, copying, and distribution of any Pivotal software described in this publication requires an applicable software license.

All trademarks used herein are the property of Pivotal or their respective owners.

Contents

Preface: Contacting Pivotal.....	iv
Current Pivotal Customers.....	v
Public Inquiries About Application Fabric Products.....	vi
Chapter 1: Supported Configurations and System Requirements.....	7
Supported Configurations.....	8
Erlang Support ¹	9
AMQP Implementation and Support.....	10
JMS Client Support.....	11
Install Erlang: Software Requirement.....	12

Contacting Pivotal

Current Pivotal Customers

Submit a ticket from the [Help & Support Page](#).

Public Inquiries About Application Fabric Products

Email the appropriate group for the Application Fabric product:

- RabbitMQ@goPivotal.com
- tcServer@goPivotal.com
- WebServer@goPivotal.com

Chapter 1

Supported Configurations and System Requirements

Before installing Pivotal RabbitMQ 3.4, verify that your system meets operating system and installation requirements.

Supported Configurations

Erlang Support1

AMQP Implementation and Support

JMS Client Support

Install Erlang: Software Requirement

Supported Configurations

The following table shows supported configurations for Pivotal RabbitMQ.

Table 1: Pivotal RabbitMQ Supported Configurations

Operating System	Processor Architecture	Erlang ¹	Production/Development Support
CentOS 5	x86 (64-bit)	Erlang R14 and later	Production
CentOS 6	x86 (64-bit)	Erlang R14 and later	Production
MacOS X 10.6 and later	x86 (64-bit)	Erlang R14 and later	Development
Microsoft Windows Server 2012	x86 (64-bit)	Erlang R14 and later	Production
Microsoft Windows Server 2008	x86 (32-bit and 64-bit)	Erlang R14 and later	Production
Microsoft Windows Server 2003 SP2 and later	x86 (32-bit)	Erlang R14 and later	Production
RedHat Enterprise Linux (RHEL) 5	x86 (32-bit and 64-bit)	Erlang R14 and later	Production
RedHat Enterprise Linux (RHEL) 6	x86 (32-bit and 64-bit)	Erlang R14 and later	Production
SUSE Linux Enterprise Server (SLES) 11 SP3	x86 (64-bit)	Erlang R14 and later	Production
Ubuntu (All stable, non-EOL releases)	x86 (64-bit)	Erlang R14 and later	Production
Microsoft Windows XP	x86 (64-bit and 32-bit)	Erlang R14 and later	Development
Microsoft Windows 7	x86 (64-bit)	Erlang R14 and later	Development
Microsoft Windows 8	x86 (64-bit)	Erlang R14 and later	Development

Erlang Support¹

Pivotal supports Erlang R14 and later with Pivotal RabbitMQ. Certain configurations require or run better with more recent versions of Erlang. For example:

- To run Pivotal RabbitMQ with SSL, use Erlang R15B02. You can use R14 (SSL 4.0.1) and later, but R15B02 is the most reliable version.
- To run Pivotal RabbitMQ on a 64-bit Windows VM, use Erlang 15 or later. Earlier versions are 32-bit only.

For full details, see <http://www.rabbitmq.com/which-erlang.html>.

If you are running Pivotal RabbitMQ on a Red Hat Enterprise Linux (RHEL) computer or VM, Pivotal provides an Erlang RPM to simplify the installation process. See *Install Erlang: Software Requirement*.

AMQP Implementation and Support

Pivotal supports Erlang R14 and later for Pivotal RabbitMQ. However, certain configurations require or run better with more recent versions of Erlang. For example:

You can use the RabbitMQ client libraries and broker daemon (server) together to create an AMQP network, or use them individually with established networks. RabbitMQ implements version 0-9-1 of the specification, with legacy support for version 0-8 and 0-9. Pivotal RabbitMQ performs protocol negotiation with clients implementing 0-9-1, 0-9 and 0-8, in accordance with the specification. For more information about the Pivotal RabbitMQ implementation of AMQP, see *Compatibility and Conformance*.

Pivotal RabbitMQ also implements a number of *Protocol Extensions*.

JMS Client Support

The JMS Client for RabbitMQ feature is an implementation of the Java Message Service (JMS) 1.1 specification that uses the RabbitMQ Java client API. This feature allows new and existing JMS applications to connect with RabbitMQ brokers through Advanced Message Queueing Protocol (AMQP). JMS applications can interoperate with AMQP clients on diverse platforms, including non-Java platforms.

Install Erlang: Software Requirement

Install Erlang on each computer or VM on which you plan to install Pivotal RabbitMQ Server.

For users installing Pivotal RabbitMQ on RHEL computers or VMs, Pivotal provides an RPM for simplifying the Erlang installation. Note, however, that the version of Erlang provided by Pivotal is slightly different from the community version. Compared to the community version, the version of Erlang provided by the Pivotal RPM is monolithic, has fewer dependencies, and has lower disk and memory overhead. Although many applications from Erlang Open Telecom Platform (OTP) have been removed, the following applications remain: `asn1`, `compiler`, `crypto`, `erl_interface`, `erts`, `hipe`, `inets`, `kernel`, `mnesia`, `os_mon`, `otp_mibs`, `public_key`, `retool`, `runtime_tools`, `sasl`, `snmp`, `ssl`, `stdlib`, `syntax_tools` and `xmerl`.

See the following sections for operating system-specific instructions for installing Erlang:

- [Install Erlang on RHEL Using a Downloaded RPM](#)
- [Install Erlang on Ubuntu](#)
- [Install Erlang on Windows](#)
- [Install Erlang on Mac OS X](#)

Install Erlang on RHEL Using a Downloaded RPM

You install the Erlang RPM by downloading it from the Pivotal download center and executing the `rpm` command.

Prerequisites

- Determine if the following software packages are installed on your RHEL computer: `ncurses`, `zlib`, `openssl` and `glibc`. You can use `yum list package` to check; for example:

```
prompt# yum list ncurses
```

It is very likely that these packages are already installed. If they are not, and you use `yum` to install the Pivotal Erlang package, the `yum` command will install them as part of the dependency resolution. If you install using `rpm` from a downloaded RPM file, you must install the packages yourself.

- If you have previously installed Erlang on your RHEL computer, but you want to now use Pivotal's Erlang distribution, you must first completely remove your existing Erlang installation. You cannot upgrade an existing Erlang installation to the one provided by Pivotal using `yum install` or `yum upgrade`.

Procedure

1. From the RHEL computer or VM on which you will install Pivotal RabbitMQ, log in as the `root` user and start a terminal window.
2. From the [Pivotal RabbitMQ product page](#), click **Downloads**.
3. Download the Erlang RPM file, and save it to a directory on your computer. The RPM file is called `erlang-version.architecture.rpm`, such as `erlang-R15B-02.1.el6.x86_64.rpm`.

Choose the architecture (32- or 64-bit) and RHEL version (5 or 6) appropriate for your computer.

4. From your terminal, change to the directory in which you downloaded the RPM.
5. Execute the following `rpm` command to install Erlang:

```
prompt# rpm -ivhf erlang-version.architecture.rpm
```

For example:

```
prompt# rpm -ivhf erlang-R15B-02.1.el6.x86_64.rpm
```

Install Erlang on Ubuntu

The following procedure describes how to ensure that you have the most recent version of Erlang installed on your Ubuntu computer. It uses the <https://www.erlang-solutions.com/> distributions and includes instructions on configuring your computer to access their Debian package repository. For complete instructions on using the Erlang distributions from Erlang Solutions, see the <https://www.erlang-solutions.com/downloads/erlang-otp/documentation>.

1. From the Ubuntu computer on which you will install Pivotal RabbitMQ, log in as the `root` user (or as a user with `sudo` privileges) and start a terminal window.
2. Configure your computer to access the Erlang Solutions Debian package repository by editing the file `/etc/apt/sources.list` and adding the line appropriate to your version of Ubuntu:

For Lucid (10.04 LTS):

```
deb http://packages.erlang-solutions.com/debian lucid contrib
```

For Precise (12.04 LTS):

```
deb http://packages.erlang-solutions.com/debian precise contrib
```

3. Run the following command to synchronize the metadata:

```
prompt# apt-get update
```

If you are not the `root` user:

```
prompt$ sudo apt-get update
```

4. Install the Erlang package by running the following command:

```
prompt# apt-get install esl-erlang
```

Install Erlang on Windows

1. Download the latest <http://www.erlang.org/download.html> to the computer on which you will install Pivotal RabbitMQ. This is an EXE file with a name like `otp_win32_R15B02.exe`.
2. Double-click the file you downloaded to start the installer and follow the instructions to complete the installation. You can take all the default values.
3. Set the `ERLANG_HOME` environment variable to the directory where you installed Erlang:
 - Choose Control Panel > System > Advanced system settings > Environment variables.
 - Under **System variables**, click New...
 - In the Variable name field, enter `ERLANG_HOME`.
 - In the Variable value field, enter the full path to the Erlang installation directory. For example, if you ran the Erlang R15B2 installer and accepted the defaults, the path is `C:\Program Files (x86)\er15.9.2`.
 - Click OK.

Install Erlang on Mac OS X

For Mac OS X and other Linux platforms, you can install Erlang from source. See <http://www.erlang.org/download.html>.